

# BLACK SWAN MFG. CO.

## GHS SAFETY DATA SHEET



	SECTION 1 - ID	ENTIFICATION	
Manufacturer: Black Swan Mfg. Co. 4540 W. Thomas St. Chicago, IL 60651-3318 Tel.: 800-252-5796 Fax: 773-227-3705 Web Site : www.blackswanmfg.com E-mail : info@blackswanmfg.com		For any Transportation or Medical Chemical Emergencies call: INFOTRAC (800) 535-5053 OR (352) 323-3500 24 hours per day - 7 days a week	
Product Name: Swan Seal		<b>Recommended Use:</b> To seal threaded pipes on metal and plastic connections.	
	SECTION 2 – HAZARI	D(S) IDENTIFICATION	
Labels Liritant Signal Word Warning HMIS HEALTH 1 FLAMMABILITY 2 REACTIVITY 0	NFPA HEALTH HAZARD 4 - Deadly 3 - Extreme Danger 2 - Hazardous 1 - Slight Hazardous 0 - Normal Material Oxidizzer QX Acid ACID Alkali ALK Corrosive COR Use NO WATER ₩ Radioactive ★ Radioactive ↓ FIRE HAZARD FIRE HAZARD FIRE HAZARD FIRE HAZARD - Hadr Points 4 - Below 703°F 2 - Above 100°F, Not exceeding 200°F 0 - Will not burn <b>REACTIVITY</b> 4 - May detonate 3 - Shock and heat may detonate 2 - Violent chemical change 1 - Unstable if heated 0 - Stable	GHS Classification         Health       Environmental         Acute Toxicity:Not Established       Acute Aquatic Toxicity: Not Established         Skin Irritation: Cat. 2B       Acute Aquatic Toxicity: Not Established         Skin Sensitization: NO       Chronic Aquatic Toxicity: Not Established         Physical       Flammability: Not Established	
Hazardous Statements H303: May be harmful if swallowed. H313: May be harmful in contact with skin. H335 + H336: May cause respiratory irritation and drowsiness or dizziness.		Precautionary Statements P102: Keep out of reach of children P233: Keep container tightly closed P262: Do not get in eyes, on skin or on clothing P271: Use only outdoors or in well-ventilated area	

#### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Chemicals	CAS#	EINECS#	REACH	<u>Approx %</u>
		<u>P</u>	re-registration Number	<u>r</u>
ETHYLENE GLYCOL N-BUTYL ET	HER 111-76-2	203-905-0	N/A	20-25%
All of the constituents of this adhesive produc	t are listed on the TSCA	A inventory of chemical sul	bstances maintained by the U	S EPA, or are exempt from that listing.

#### **SECTION 4 – FIRST-AID MEASURES**

Inhalation: Move into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and call physician.
Skin: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water.
Eyes: Flush with water for 15 minutes. If irritation persists, get medical attention.
Ingestion: Give 1 or 2 glasses of water. DO NOT INDUCE VOMITING. Contact physician immediately.

#### **SECTION 5 – FIRE-FIGHTING MEASURES**

**Fire Hazard**: Combustible-Moderate flash point. Vapors heavier than air and may travel along the ground or to low spots at considerable distances to a source of ignition resulting in potential flashback. Burning liquid may float on water. Heat may build up pressure and rupture containers.

Combustion Products: None known

Extinguishing Media: Carbon Dioxide Gas, Dry Chemical Powder, and Water.

Unsuitable Extinguishing Media: None known

**Protective Equipment**: Self-contained breathing apparatus {(SCBA), MSHA/NIOSH}. Full protective gear. **Special Fire Fighting Procedures:** As appropriate for combustibles in area.

### **GHS SAFETY DATA SHEET**

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Personal Precautions: None Protective Equipment: None

**Emergency Procedures**: None

Environmental Precautions: Avoid runoff into storm sewers, ditches and waterways.

Methods for Cleaning Up: Soak up spill with an inert absorbent such as sand, earth or other noncombusting material. Transfer absorbent material to a covered, labeled, metal container. Do not use plastic or aluminum containers.

### **SECTION 7 – HANDLING AND STORAGE**

Handling

Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all product precautions. Do not reuse empty containers.

Storage Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames.

### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits					
Hazardous Chemicals	ACGIH-TLV	ACGIH-STEL	OSHA-PEL		
ETHYLENE GLYCOL N-BUTYL ETHER	25 ppm	N/A	50 ppm		

Engineering Controls: A source of running water to flush or wash the eyes and skin in case of contact. Use local exhaust as needed. Ventilation: Local ventilation is adequate.

Personal Protective Equipment – Respiratory: Avoid breathing of fumes. If used in a confined area, a respirator may be necessary. Personal Protective Equipment – Skin: Protective Gloves.

Personal Protective Equipment – Eyes: Protective Goggles.

### **SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES**

Appearance: Odor: pH: Melting Point: Freezing Point: **Boiling Point**:

White Paste Mild Not Established Not Established Not Established 180°F

82°F Specific Gravity: 1.41 Solubility (H2O): Slight **Evaporation Rate:** 0.6 (BUAC=1) Vapor Density: >1.00 (AIR=1) 190 g/l

Vapor Pressure: Flammability: 921°F Flammability Limits:

0.88mm Hg @25°C LEL - 1.1% UEL - 10.6%

### SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur Conditions to avoid: Heat, sparks, open flames and strong oxidizing Incompatible materials: Liquid Oxygen Systems, Liquid Sodium, Gaseous Fluorine, Strong Oxidizers Hazardous decomposition products: None

Flash Point:

VOC:

S	ECTION 11 – TOXICOLOGICAL INFORMATION

	<u>Toxicity</u>		
Hazardous Chemicals	$\underline{LD}_{50}$	$\underline{LC}_{50}$	
ETHYLENE GLYCOL N-BUTYL ETHER	N/A	N/A	

Likely Routes of Exposure: Skin Contact and Eye Contact

Symptoms and Effect - Inhalation: Posssible dizziness if used in confined area. Skin Contact: May cause mild irritation to sensitive skin. Eye Contact: May cause eye irritation. Ingestion: None. Long-Term Effect: None known

Pre-Existing Conditions: None known

## **SECTION 12 – ECOLOGICAL INFORMATION**

Ecotoxicity: None known Persistance & Degradability: None known Bioaccumulative Potential: None known Mobility in soil: None known

#### **GHS SAFETY DATA SHEET**

#### **SECTION 13 – DISPOSAL CONSIDERATION**

Dispose of product or container in accordance with federal, state or local regulations.

### SECTION 14 – TRANSPORTATION INFORMATION

D.O.T. (U.S.) : Not Regulated

## SECTION 15 – REGULATORY INFORMATION

**Precautionary Label Information:** Irritant

Risk Phrases: R36/38-Irritant to eyes and skin.

Safety Phrases: S2-Keep out of reach of children. S3-Keep in a cool place. S7-Keep container tightly closed when not in use. S24/25-Avoid contact with skin and eyes. S29-Do not empty into drains, storm drains or watercourses. S35-Dispose of material and container in a safe way. S37/39-Wear suitable gloves and eye protection. S51-Use in well ventilated area.

#### **SECTION 16 – OTHER INFORMATION**

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Mfg. Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents and contractors of the information on the sheets. DATE: 01/01/2014